Applicant : Bonnert et al.
Serial No. : 10/521,325
Filed : August 15, 2005
Page : 8 of 15

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

## Listing of Claims:

1. (Currently amended) A compound of formula (I) or a pharmaceutically acceptable salt thereof:

in which

## n represents 1 or 2;

 $R^1$  is one or more substituents independently selected from halogen, CN, nitro,  $SO_2R^4$ ,  $OR^4$ ,  $SR^4$ ,  $SOR^4$ ,  $SO_2NR^5R^6$ ,  $CONR^5R^6$ ,  $NR^5R^6$ ,  $NR^8SO_2R^4$ ,  $NR^9CO_2R^4$ ,  $NR^9COR^4$ , aryl, heteroaryl,  $C_2$ - $C_6$  alkenyl,  $C_2$ - $C_6$  alkynyl or  $C_{14}$ alkyl, the latter five groups being optionally substituted by one or more substituents independently selected from halogen,  $OR^7$  and  $NR^8R^9$ ,  $NR^8R^9$ ,  $S(O)_xR^7$  where x is 0, 1 or 2:

 $R^2$  is hydrogen, halogen, CN,  $SO_2R^4$  or  $CONR^5R^6$ ,  $COR^4$  or  $C_{1,7}$ alkyl, the latter group being optionally substituted by one or more substituents independently selected from halogen atoms,  $OR^4$  and  $NR^5R^6$ ,  $S(O)_8R^7$  where x is 0.1 or 2;

Applicant : Bonnert et al.
Serial No. : 10/521,325
Filed : August 15, 2005
Page : 9 of 15

 $R^3$  is aryl or a 5- $\underline{6}[[7]]$  membered aromatic ring containing one or more heteroatoms selected from N, S and O, each of which is optionally substituted by one or more substituents independently selected from halogen, CN, nitro,  $SO_2R^4$ , OH,  $OR^4$ ,  $SR^4$ ,  $SOR^4$ ,  $SO_2NR^5R^6$ ,  $CONR^5R^6$ ,  $NR^5R^6$ ,  $NR^5SO_2R^4$ ,  $NR^9CO_2R^4$ ,  $NR^9COR^4$ ,  $C_2-C_6$  alkenyl,  $C_2-C_6$  alkynyl,  $C_1-C_6$  alkyl, the latter three groups being optionally substituted by one or more substituents independently selected from halogen atoms,  $OR^7$  and  $OR^8R^9$ ,  $S(O)_3R^7$  where x is 0,1 or 2;

 $R^4$  represents aryl, heteroaryl, or  $C_1$ - $C_6$  alkyl, all of which may be optionally substituted by one or more substitutents independently selected from halogen atoms, aryl, heteroaryl,  $OR^{10}$  and  $NR^{11}R^{12}$   $S(O)_8R^{13}$  (where x = 0, 1 or 2),  $CONR^{14}R^{15}$ ,  $NR^{14}COR^{15}$ ,  $SO_2NR^{14}R^{15}$ ,  $NR^{14}SO_2R^{15}$ , CN, nitro:

R<sup>5</sup> and R<sup>6</sup> independently represent a hydrogen atom, a C<sub>1</sub>-C<sub>6</sub> alkyl group, <u>or</u> an aryl <u>group</u>, <del>or</del> a heteroaryl, the latter three <u>two</u> of which may be optionally substituted by one or more substituents independently selected from halogen atoms, aryl, OR<sup>13</sup> and NR<sup>14</sup>R<sup>15</sup>, CONR<sup>14</sup>R<sup>15</sup>, NR<sup>14</sup>COR<sup>15</sup>,SO<sub>2</sub>NR<sup>14</sup>R<sup>15</sup>, NR<sup>14</sup>SO<sub>2</sub>R<sup>13</sup>, CN, nitro;

01

 $R^5$  and  $R^6$  together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocylic ring optionally containing one or more atoms selected from O,  $S(O)_x$  where x is 0, 1 or 2,  $NR^{16}$ , and the ring itself optionally substituted by  $C_1$ - $C_3$  alkyl;

 $R^7$  and  $R^{15}$  independently represent a  $C_1$ - $C_6$  alkyl group, or an aryl or heteroaryl group all of which may be optionally substituted by halogen atoms;

R<sup>8</sup> represents a hydrogen atom, C(O)R<sup>9</sup>, C<sub>1</sub>-C<sub>6</sub> alkyl (optionally substituted by halogen atoms, <u>or</u> an aryl <del>or heteraryl</del> group[[s]], both of which may also be optionally substituted by one or more fluorine atoms); an aryl <u>or a heteroaryl</u> group, which may be optionally substituted by one or more halogen atoms;

Attorney's Docket No.: 06275-435US1 / 100770-1F US

Applicant : Bonnert et al.
Serial No. : 10/521,325
Filed : August 15, 2005
Page : 10 of 15

each of  $R^{\circ}$ ,  $R^{10}$ ,  $R^{11}$ ,  $R^{12}$ ,  $R^{14}$ ,  $R^{13}$ , independently represents a hydrogen atom,  $C_1$ - $C_0$  alkyl, or an aryl or a heteroaryl group (all of which may be optionally substituted by one or more halogen atoms); and

R16 is hydrogen, C1-2 alkyl, -C(O)C1-C4 alkyl, C(O)YC1-C4alkyl, Y is O or NR7.

or a pharmaceutically acceptable salt or solvate thereof.

- 2. (Original) A compound according to claim 1 in which n is 2.
- (Previously presented) A compound according to claim 1 in which R<sup>1</sup> is halogen, nitrile, C<sub>1</sub>.
   éalkyl or SO<sub>2</sub>R<sup>4</sup>, NO<sub>2</sub>, NR<sup>9</sup>COR<sup>4</sup>, NR<sup>9</sup>SO<sub>2</sub>R<sup>4</sup>, aryl, NR<sup>5</sup>R<sup>6</sup>.
- (Currently amended) A compound according to claim 1 in which the R<sup>1</sup> substituent(s) is/are in the 4- and/or 5- position,
- 5. (Previously presented) A compound according claim 1 in which  $R^2$  is  $C_{1.6}$ alkyl.
- 6. (Original) A compound according to claim 4 in which R3 is phenyl substituted by halogen.
- 7. (Previously presented) A compound according to claim 1 selected from:
- 3-[(4-chlorophenyl)sulfonyl]-2,5-dimethyl-1H-indol-1-acetic acid;
- 5-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1H-indole-1-acetic acid;
- 6-chloro-3-1(4-chlorophenyl)sulfonyl]-2-methyl-1H-indole-1-acetic acid;
- 7-chloro-3-((4-chlorophenyl)sulfonyl]-2-methyl-1H-indole-1-acetic acid;
- 5-chloro-3-((4-chlorophenyl)sulfonyl]-4-cyano-2-methyl-1H-indole-1-acetic acid;
- 5-chloro-3-[(4-chlorophenyl)sulfonyl]-6-cyano-2-methyl-1H-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-2,5-dimethyl-1H-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-4-(ethylsulfonyl)-7-methoxy-2-methyl-1H-indole-1-acetic acid;
- 3-1(4-chlorophenyl)sulfonyl]-5-cyano-2-methyl-1H-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-5-cyano-2-methyl-1H-indole-1-acetic acid;

Applicant : Bonnert et al.
Serial No. : 10/521,325
Filed : August 15, 2005
Page : 11 of 15

```
5-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1H-indole-1-acetic acid,
```

- 4-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1H-indole-1-acetic acid;
- 3-[(4-methoxyphenyl)sulfonyl]-2,5-dimethyl-1H-indol-1-acetic acid;
- 3-[(3-methoxyphenyl)sulfonyl]-2,5-dimethyl-1H-indol-1-acetic acid;
- $3\hbox{-}[(2\hbox{-}Chlorophenyl) \hbox{sulfonyl}]\hbox{-}2,5\hbox{-}dimethyl\hbox{-}1$$H$-indol-1-acetic acid};$
- 3-[(3-Chlorophenyl)sulfonyl]-2,5-dimethyl-1H-indol-1-acetic acid;
- 3-[(4-Cyanophenyl)sulfonyl]-2,5-dimethyl-1H-indole-1-acetic acid;
- 3-[(2-methylphenyl)sulfonyl]-2,5-Dimethyl-1H-indol-1-acetic acid;
- 3-[(2-ethylphenyl)sulfonyl]-2,5-dimethyl-1H-indol-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-nitro-1H-indole-1-acetic acid;
- 4-(Acetylamino)-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1/I-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-[(methylsulfonyl)amino]- 1H-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-4-(ethylamino)-2-methyl-1H-indole-1-acetic acid;
- 3-[(2,6-Dichlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indole-1-acetic acid;
- 3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-phenyl-1H-indole-1-acetic acid
- $3\hbox{-}[(4\hbox{-}chlorophenyl) \hbox{sulfonyl}]\hbox{-}5\hbox{-}fluoro\hbox{-}2\hbox{-}methyl\hbox{-}1$$H$-indole\hbox{-}1-acetic acid},$
- 3-[(3-chlorophenyl)sulfonyl]-5-fluoro-2-methyl- 1H-indole-1-acetic acid,
- $5-fluoro-2-methyl-3-[[4-(trifluoromethyl)phenyl] sulfonyl]-1 \emph{H}-indole-1-acetic acid,}\\$

and pharmaceutically acceptable salts thereof.

# 8-9. (Cancelled)

10. (Currently amended) A method of treating according to claim 9 where the disease is asthma or rhinitis, the method comprising administering to a patient a therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt as defined in claim 1.

#### 11-13. (Cancelled)

14. (Currently amended) A process for the preparation of a compound of formula (I) of claim 1 which comprises reaction of a compound of formula (II):

Attorney's Docket No.: 06275-435US1 / 100770-1P US

Applicant : Bonnert et al.
Serial No. : 10/521,325
Filed : August 15, 2005
Page : 12 of 15

## (a) exidation of a compound of formula (II):

(11)

in which  $R^{17}$  is hydrogen or alkyl and  $R^{1}$ ,  $R^{2}$  and  $R^{3}$  are as defined in claim 1 or are protected derivatives thereof, or

## (b) reaction of a compound of formula (III):

$$R^1$$
 $R^2$ 
 $S(O)_n - R^3$ 
(III)

in which  $R^1$ ,  $R^2$  and  $R^3$  are as defined in claim 1 or are protected derivatives thereof, with a compound of formula (IV):

where R<sup>18</sup> is an alkyl group and L is a leaving group in the presence of a base, and optionally thereafter (a) or (b) in any order:

- hydrolysing the ester group R<sup>17</sup> or R<sup>18</sup> to the corresponding acid
- · removing any protecting group
- · forming a pharmaceutically acceptable salt.